

PHP Version 4.3.3



System	Linux kfocweb 2.4.21-215-default #1 Tue Apr 27 01:00:43 UTC 2004 i686
Build Date	Sep 24 2003 00:27:33
Configure Command	<pre>./configure '--prefix=/usr/share' '--datadir=/usr/share/php' '--bindir=/usr/bin' '--libdir=/usr/share' '--includedir=/usr/include' '--sysconfdir=/etc' '--with-_lib=lib' '--with-config-file-path=/etc' '--with-exec-dir=/usr/lib/php/bin' '--disable-debug' '--enable-bcmath' '--enable-calendar' '--enable-ctype' '--enable-dbase' '--enable-discard-path' '--enable-exif' '--enable-filepro' '--enable-force-cgi-redirect' '--enable-ftp' '--enable-gd-imgstrttf' '--enable-gd-native-ttf' '--enable-inline-optimization' '--enable-magic-quotes' '--enable-mbstr-enc-trans' '--enable-mbstring' '--enable-mbregex' '--enable-memory-limit' '--enable-safe-mode' '--enable-shmop' '--enable-sigchild' '--enable-sysvsem' '--enable-sysvshm' '--enable-track-vars' '--enable-trans-sid' '--enable-versioning' '--enable-wddx' '--enable-yp' '--with-bz2' '--with-dom=/usr/include/libxml2' '--with-ftp' '--with-gdbm' '--with-gettext' '--with-gmp' '--with-ldap=yes' '--with-iodbc' '--with-jpeg-dir=/usr' '--with-ldap=yes' '--with-mcal=/usr' '--with-mcrypt' '--with-mhash' '--with-mysql=/usr' '--with-ndbm' '--with-pgsql=/usr' '--with-png-dir=/usr' '--with-readline' '--with-snmpp' '--with-t1lib' '--with-tiff-dir=/usr' '--with-ttf' '--with-freetype-dir=yes' '--with-xml' '--with-xpm-dir=/usr/X11R6' '--with-zlib=yes' '--with-qt3=/usr/lib/qt3' '--with-gd' '--with-openssl' '--with-curl' '--with-swf=/usr/src/packages/BUILD/swf/dist/' '--with-ldap=yes' '--enable-xslt' '--with-xslt-sablot' '--with-iconv' '--with-mm' '--with-apxs=/usr/sbin/apxs' 'i586-suse-linux'</pre>
Server API	Apache
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/php.ini
PHP API	20020918
PHP Extension	20020429
Zend Extension	20021010
Debug Build	no
Thread Safety	disabled
Registered PHP Streams	php, http, ftp, https, ftps, compress.bzip2, compress.zlib

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v1.3.0, Copyright (c) 1998-2003 Zend Technologies



PHP Credits

Configuration

PHP Core

Directive	Local Value	Master Value
allow_call_time_pass_reference	On	On
allow_url_fopen	On	On
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	On	On
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	2039	2039

expose_php	On	On
extension_dir	/usr/share/extensions/no-debug-non-zts-20020429	/usr/share/extensions/no-debug-non-zts-20020429
file_uploads	On	On
gpc_order	GPC	GPC
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./usr/share/php	./usr/share/php
log_errors	Off	Off
log_errors_max_len	1024	1024
magic_quotes_gpc	On	On
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
max_execution_time	90	90
max_input_time	90	90
memory_limit	24M	24M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	<i>no value</i>	<i>no value</i>
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	32M	32M
precision	12	12
register_argc_argv	On	On
register_globals	Off	Off
report_memleaks	On	On

safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	me@localhost.com	me@localhost.com
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	30M	30M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On

apache

APACHE_INCLUDE	<i>no value</i>
APACHE_TARGET	<i>no value</i>
Apache Version	Apache/1.3.28
Apache Release	10328100
Apache API Version	19990320
Hostname:Port	kfoc.net:80
User/Group	wwwrun(30)/8
Max Requests	Per Child: 0 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 300 - Keep-Alive: 15

Server Root	/home/www
Loaded Modules	mod_userdir, mod_php4, mod_setenvif, mod_so, mod_usertrack, mod_headers, mod_expires, mod_cern_meta, mod_proxy, mod_digest, mod_auth_db, mod_auth_dbm, mod_auth_anon, mod_auth, mod_access, mod_rewrite, mod_alias, mod_speling, mod_actions, mod_imap, mod_asis, mod_cgi, mod_dir, mod_autoindex, mod_include, mod_info, mod_status, mod_negotiation, mod_mime, mod_mime_magic, mod_log_referer, mod_log_agent, mod_log_config, mod_define, mod_env, mod_vhost_alias, mod_mmap_static, http_core

Directive	Local Value	Master Value
child_terminate	0	0
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
DOCUMENT_ROOT	/home/www/htdocs/kfoc
HTTP_ACCEPT	image/gif, image/x-xbitmap, image/jpeg, image/pjpeg, application/x-ms-application, application/vnd.ms-xpsdocument, application/xaml+xml, application/x-ms-xbap, application/x-shockwave-flash, application/vnd.ms-excel, application/vnd.ms-powerpoint, application/msword, application/ag-plugin, */*
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_ACCEPT_LANGUAGE	en-us
HTTP_CONNECTION	Keep-Alive
HTTP_HOST	www.kfoc.net
HTTP_UA_CPU	x86
HTTP_USER_AGENT	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506)
PATH	/usr/local/sbin:/sbin:/bin:/usr/sbin:/usr/bin
REMOTE_ADDR	172.20.2.5
REMOTE_PORT	49961
SCRIPT_FILENAME	/home/www/htdocs/kfoc/nfo.php
SERVER_ADDR	172.20.1.104
SERVER_ADMIN	webmaster@kfocweb.local
SERVER_NAME	kfoc.net
SERVER_PORT	80

SERVER_SIGNATURE	<ADDRESS>Apache/1.3.28 Server at kfoc.net Port 80</ADDRESS>
SERVER_SOFTWARE	Apache/1.3.28 (Linux/SuSE) PHP/4.3.3
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/nfo.php
SCRIPT_NAME	/nfo.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /nfo.php HTTP/1.1
Accept	image/gif, image/x-xbitmap, image/jpeg, image/pjpeg, application/x-ms-application, application/vnd.ms-xpsdocument, application/xaml+xml, application/x-ms-xbap, application/x-shockwave-flash, application/vnd.ms-excel, application/vnd.ms-powerpoint, application/msword, application/ag-plugin, */*
Accept-Encoding	gzip, deflate
Accept-Language	en-us
Connection	Keep-Alive
Host	www.kfoc.net
UA-CPU	x86
User-Agent	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506)
HTTP Response Headers	
X-Powered-By	PHP/4.3.3
Keep-Alive	timeout=15, max=100
Connection	Keep-Alive
Transfer-Encoding	chunked
Content-Type	text/html

bcmath

BCMath support	enabled
-----------------------	---------

bz2

BZip2 Support	Enabled
BZip2 Version	1.0.2, 30-Dec-2001

calendar

Calendar support	enabled
-------------------------	---------

ctype

ctype functions	enabled
------------------------	---------

curl

CURL support	enabled
CURL Information	libcurl/7.10.5 OpenSSL/0.9.7b ipv6 zlib/1.1.4

dba

DBA support	enabled
Supported handlers	gdbm ndbm cdb cdb_make inifile flatfile

domxml

DOM/XML	enabled
DOM/XML API Version	20020815
libxml Version	20510
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: exif.c,v 1.118.2.23 2003/06/25 13:21:54 edink Exp \$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

ftp

FTP support	enabled
--------------------	---------

gd

GD Support	enabled
GD Version	bundled (2.0.15 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
T1Lib Support	enabled
GIF Read Support	enabled
JPG Support	enabled
PNG Support	enabled
WBMP Support	enabled
XBM Support	enabled

gettext

GetText Support	enabled
------------------------	---------

gmp

gmp support	enabled
--------------------	---------

iconv

iconv support	enabled
iconv implementation	glibc

iconv library version	2.3.2
------------------------------	-------

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

imap

IMAP c-Client Version	2001
SSL Support	enabled

ldap

LDAP Support	enabled
RCS Version	\$Id: ldap.c,v 1.130.2.4 2003/04/30 21:54:02 iliaa Exp \$
Total Links	0/unlimited
API Version	2004
Vendor Name	OpenLDAP
Vendor Version	20122

mbstring

Multibyte Support	enabled
Japanese support	enabled
Multibyte (japanese) regex support	enabled

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0

mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.internal_encoding	UTF-8	UTF-8
mbstring.language	neutral	neutral
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mcrypt

MCAL Support	enabled
MCAL Version	0.6 - 20000121

mcrypt

mcrypt support	enabled
version	>= 2.4.x
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mhash

MHASH support	Enabled
MHASH API Version	20020524

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	4.0.15

MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/lib/mysql/mysql.sock
MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	<i>no value</i>	<i>no value</i>
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

odbc

ODBC Support	enabled
Active Persistent Links	0
Active Links	0
ODBC library	iodbc
ODBC_INCLUDE	-I/usr/local/include
ODBC_LFLAGS	-L/usr/local/lib
ODBC_LIBS	-liodbc

Directive	Local Value	Master Value
odbc.allow_persistent	On	On
odbc.check_persistent	On	On
odbc.default_db	<i>no value</i>	<i>no value</i>
odbc.default_pw	<i>no value</i>	<i>no value</i>
odbc.default_user	<i>no value</i>	<i>no value</i>

odbc.defaultbinmode	return as is	return as is
odbc.defaultlrl	return up to 4096 bytes	return up to 4096 bytes
odbc.max_links	Unlimited	Unlimited
odbc.max_persistent	Unlimited	Unlimited

openssl

OpenSSL support	enabled
OpenSSL Version	OpenSSL 0.9.7b 10 Apr 2003

overload

User-Space Object Overloading Support	enabled
--	---------

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	4.3 21-May-2003

pgsql

PostgreSQL Support	enabled
PostgreSQL(libpq) Version	7.3.4
Multibyte character support	enabled
SSL support	enabled
Active Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
pgsql.allow_persistent	On	On
pgsql.auto_reset_persistent	Off	Off
pgsql.ignore_notice	Off	Off
pgsql.log_notice	Off	Off
pgsql.max_links	Unlimited	Unlimited

pgsql.max_persistent	Unlimited	Unlimited
----------------------	-----------	-----------

posix

Revision	\$Revision: 1.51.2.2 \$
----------	-------------------------

qtdom

qtdom support	enabled
---------------	---------

session

Session Support	enabled
Registered save handlers	files user mm

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	On	On
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	100	100
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files

session.save_path	/tmp	/tmp
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	Off	Off

shmop

shmop support	enabled
---------------	---------

snmp

UCD-SNMP Support	enabled
UCD-SNMP Version	4.2.6

standard

Regex Library	Bundled library enabled
Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=,fieldset=	a=href,area=href,frame=src,input=src,form=,fieldset=
user_agent	<i>no value</i>	<i>no value</i>

swf

swf support	enabled
-------------	---------

tokenizer

Tokenizer Support	enabled
-------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xml

XML Support	active
XML Namespace Support	active
EXPAT Version	1.95.6

xslt

XSLT support	enabled
Backend	Sablotron
Sablotron Version	0.98
Sablotron Information	Cflags: -O2 -march=i586 -mcpu=i686 -fmessage-length=0 Libs: -L/usr/lib -lexpat Prefix: /usr

yp

YP Support	enabled
------------	---------

zlib

ZLib Support	enabled
--------------	---------

Compiled Version	1.1.4
Linked Version	1.1.4

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name
dbase
filepro
sysvsem
sysvshm

Environment

Variable	Value
LD_PRELOAD	/usr/lib/GL/libGL.so.1
CONSOLE	/dev/console
TERM	linux
SHELL	/bin/sh
progress	35
LD_LIBRARY_PATH	:/lib
INIT_VERSION	sysvinit-2.82
REDIRECT	/dev/tty1
AUTOBOOT	YES
COLUMNS	148
PATH	/usr/local/sbin:/sbin:/bin:/usr/sbin:/usr/bin
RUNLEVEL	5
PWD	/
PREVLEVEL	N

LINES	51
DBROOT	/dev/null
HOME	/
SHLVL	2
BOOT_IMAGE	Linux
splash	silent
sscripts	41
ORACLE_HOME	<i>no value</i>
_	/sbin/startproc
DAEMON	/usr/sbin/httpd
SWFFONTPATH	/usr/share/php/swffonts

PHP Variables

Variable	Value
\$_SERVER["DOCUMENT_ROOT"]	/home/www/htdocs/kfoc
\$_SERVER["HTTP_ACCEPT"]	image/gif, image/x-xbitmap, image/jpeg, image/pjpeg, application/x-ms-application, application/vnd.ms-xpsdocument, application/xaml+xml, application/x-ms-xbap, application/x-shockwave-flash, application/vnd.ms-excel, application/vnd.ms-powerpoint, application/msword, application/ag-plugin, */*
\$_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
\$_SERVER["HTTP_ACCEPT_LANGUAGE"]	en-us
\$_SERVER["HTTP_CONNECTION"]	Keep-Alive
\$_SERVER["HTTP_HOST"]	www.kfoc.net
\$_SERVER["HTTP_UA_CPU"]	x86
\$_SERVER["HTTP_USER_AGENT"]	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506)
\$_SERVER["PATH"]	/usr/local/sbin:/sbin:/bin:/usr/sbin:/usr/bin
\$_SERVER["REMOTE_ADDR"]	172.20.2.5
\$_SERVER["REMOTE_PORT"]	49961
\$_SERVER["SCRIPT_FILENAME"]	/home/www/htdocs/kfoc/nfo.php
\$_SERVER["SERVER_ADDR"]	172.20.1.104
\$_SERVER["SERVER_ADMIN"]	webmaster@kfocweb.local
\$_SERVER["SERVER_NAME"]	kfoc.net

_SERVER["SERVER_PORT"]	80
_SERVER["SERVER_SIGNATURE"]	<ADDRESS>Apache/1.3.28 Server at kfoc.net Port 80</ADDRESS>
_SERVER["SERVER_SOFTWARE"]	Apache/1.3.28 (Linux/SuSE) PHP/4.3.3
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/nfo.php
_SERVER["SCRIPT_NAME"]	/nfo.php
_SERVER["PATH_TRANSLATED"]	/home/www/htdocs/kfoc/nfo.php
_SERVER["PHP_SELF"]	/nfo.php
_SERVER["argv"]	Array ()
_SERVER["argc"]	0
_ENV["LD_PRELOAD"]	/usr/lib/GL/libGL.so.1
_ENV["CONSOLE"]	/dev/console
_ENV["TERM"]	linux
_ENV["SHELL"]	/bin/sh
_ENV["progress"]	35
_ENV["LD_LIBRARY_PATH"]	:/lib
_ENV["INIT_VERSION"]	sysvinit-2.82
_ENV["REDIRECT"]	/dev/tty1
_ENV["AUTOBOOT"]	YES
_ENV["COLUMNS"]	148
_ENV["PATH"]	/usr/local/sbin:/sbin:/bin:/usr/sbin:/usr/bin
_ENV["RUNLEVEL"]	5
_ENV["PWD"]	/
_ENV["PREVLEVEL"]	N
_ENV["LINES"]	51
_ENV["DBROOT"]	/dev/null
_ENV["HOME"]	/
_ENV["SHLVL"]	2

_ENV["BOOT_IMAGE"]	Linux
_ENV["splash"]	silent
_ENV["sscripts"]	41
_ENV["ORACLE_HOME"]	<i>no value</i>
ENV[""]	/sbin/startproc
_ENV["DAEMON"]	/usr/sbin/httpd
_ENV["SWFFONTPATH"]	/usr/share/php/swffonts

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.